

DOCUMENT-IDENTIFIER: US 20020135468 A1

TITLE: Vehicle imaging system with accessory control

----- KWIC -----

Detail Description Paragraph - DETX (4):

[0034] Preferably, the image may be displayed as a unitary image synthesized from outputs of two or more imaging sensors. Image enhancements may also be provided in the displayed image to further enhance the driver's understanding of the area immediately surrounding vehicle 10. For example, graphic overlays, such as distance indicia in the form of horizontal grid markings or the like, may be provided to indicate distances between the vehicle and objects displayed in display 13. These graphic overlays may be superimposed on display 13 and thus are visible to the operator of vehicle 10. The grid markings may be moved, curved or otherwise adjusted in response to a change in the vehicle's direction of travel, which may be determined by a change in the vehicle's steering system, the vehicle's differential system or a compass heading. Additionally, images of objects or other vehicles may be adjusted or enhanced in response to the distance between vehicle 10 and the other vehicles, such as by flashing or changing the color of images of objects within a threshold distance of vehicle 10. Alternatively, the distance to multiple objects or a distance to a closest object may be displayed on display 13 or otherwise communicated to the vehicle operator. The distance to several objects may be displayed or the operator may select one or more particular objects in the display for which the distance is determined. The selection may be made by a mouse, keypad, joystick or the like.

BWerner_Job_1_of_1

Printed by HPS Server
for

EAST

Printer: cpk1_4c35_gbfwptr

Date: 10/08/03

Time: 14:27:10

Document Listing

Document	Selected Pages	Page Range	Copies
US006128405	17	1 - 17	1
Total (1)	17	-	-

BWerner_Job_1_of_1

Printed by HPS Server
for

EAST

Printer: cpk1_4c35_gbfwptr

Date: 10/08/03

Time: 13:10:03

Document Listing

Document	Selected Pages	Page Range	Copies
US005988862	60	1 - 60	1
Total (1)	60	-	-

**HPS Trailer Page
for**

EAST

UserID: BWerner_Job_1_of_1

Printer: cpk1_4c35_gbfwptr

Summary

<u>Document</u>	<u>Pages</u>	<u>Printed</u>	<u>Missed</u>	<u>Copies</u>
US006128405	17	17	0	1
Total (1)	17	17	0	-


[> home](#) [> about](#) [> feedback](#) [> login](#)

Us Patent & Trademark



Try the *new* Portal design
Give us your opinion after using it.

Search Results

Search Results for: **[(range or distance) <near> image <sentence> display <AND>((display AND processing AND progress))]**

Found 41 of 121,350 searched.

Search within Results


[> Advanced Search](#) [> Search Help/Tips](#)

Sort by: [Title](#) [Publication](#) [Publication Date](#) [Score](#) [Binder](#)

Results 1 - 20 of 41 [short listing](#)



1

2

3



1 [A framework for realistic image synthesis](#)

87%

Donald P. Greenberg , Kenneth E. Torrance , Peter Shirley , James Arvo , Eric Lafortune , James A. Ferwerda , Bruce Walter , Ben Trumbore , Sumanta Pattanaik , Sing-Choong Foo
Proceedings of the 24th annual conference on Computer graphics and interactive techniques
August 1997

2 [Microsoft TerraServer: a spatial data warehouse](#)

84%

Tom Barclay , Jim Gray , Don Slutz
ACM SIGMOD Record , Proceedings of the 2000 ACM SIGMOD international conference on Management of data May 2000
Volume 29 Issue 2

Microsoft® TerraServer stores aerial, satellite, and topographic images of the earth in a SQL database available via the Internet. It is the world's largest online atlas, combining eight terabytes of image data from the United States Geological Survey (USGS) and SPIN-2. Internet browsers provide intuitive spatial and text interfaces to the data. Users need no special hardware, software, or knowledge to locate and browse imagery. This paper describes how terabytes of Internet unfrie ...

3 [Hands-On Interfaces: Cognitive cubes: a tangible user interface for cognitive assessment](#)

83%

Ehud Sharlin , Yuichi Itoh , Benjamin Watson , Yoshifumi Kitamura , Steve Sutphen , Lili Liu
Proceedings of the SIGCHI conference on Human factors in computing systems: Changing our world, changing ourselves April 2002
Assessments of spatial, constructional ability are used widely in cognitive research and in clinical diagnosis of disease or injury. Some believe that three-dimensional (3D) forms of these assessments would be particularly sensitive, but difficulties with consistency in administration and scoring have limited their use. We describe Cognitive Cubes, a novel computerized tool for 3D

09/748,138

constructional assessment that increases consistency and promises improvements in flexibility, reliability, sensitiv ...

- 4 View interpolation for image synthesis 83%
[4] Shenchang Eric Chen , Lance Williams
Proceedings of the 20th annual conference on Computer graphics and interactive techniques
September 1993
- 5 Two methods for display of high contrast images 83%
[4] Jack Tumblin , Jessica K. Hodgins , Brian K. Guenter
ACM Transactions on Graphics (TOG) January 1999
Volume 18 Issue 1
High contrast images are common in night scenes and other scenes that include dark shadows and bright light sources. These scenes are difficult to display because their contrasts greatly exceed the range of most display devices for images. As a result, the image contrasts are compressed or truncated, obscuring subtle textures and details. Humans view and understand high contrast scenes easily, “adapting” their visual response to avoid compression or truncation with no apparent ...
- 6 Limited vision: the techno-political war to control the future of digital mass media 82%
[4] Craig Birkmaier
netWorker August 1997
Volume 1 Issue 2
- 7 A clustering algorithm for radiosity in complex environments 82%
[4] Brian Smits , James Arvo , Donald Greenberg
Proceedings of the 21st annual conference on Computer graphics and interactive techniques
July 1994
We present an approach for accelerating hierarchical radiosity by clustering objects. Previous approaches constructed effective hierarchies by subdividing surfaces, but could not exploit a hierarchical grouping on existing surfaces. This limitation resulted in an excessive number of initial links in complex environments. Initial linking is potentially the most expensive portion of hierarchical radiosity algorithms, and constrains the complexity of the environments that can be simulated. The ...
- 8 Three-dimensional object recognition 82%
[4] Paul J. Besl , Ramesh C. Jain
ACM Computing Surveys (CSUR) March 1985
Volume 17 Issue 1
A general-purpose computer vision system must be capable of recognizing three-dimensional (3-D) objects. This paper proposes a precise definition of the 3-D object recognition problem, discusses basic concepts associated with this problem, and reviews the relevant literature. Because range images (or depth maps) are often used as sensor input instead of intensity images, techniques for obtaining, processing, and characterizing range data are also surveyed.
- 9 Interactive movie system with multi-person participation and anytime interaction capabilities 82%
[4] Ryohei Nakatsu , Naoko Tosa , Takeshi Ochi

Proceedings of the sixth ACM international conference on Multimedia September 1998

10 Future directions in visual display systems

82%

4 Ed Lantz

ACM SIGGRAPH Computer Graphics May 1997

Volume 31 Issue 2

Visual displays have evolved in several parallel application areas including television, computer monitors, graphics monitors, portable displays, projection displays and most recently, immersive displays. Film, too, has matured as the highest resolution display medium available. One might mistakenly proclaim that today's visual displays produce an image quality which nearly matches that of our perception. The truth is that primitive cave petroglyphs viewed in fire-light far exceed the visual cap ...

11 User controlled overviews of an image library: a case study of the visible human

82%

4 Chris North , Ben Shneiderman , Catherine Plaisant

Proceedings of the first ACM international conference on Digital libraries April 1996

12 The Interactive Computer Graphics System for Machined Part Design and NC Tape Generation

80%

4 Lawrence O. Sinkey , Jeffrey Z. Gingerich

Proceedings of the ninth design automation workshop on Design automation June 1972

The Interactive Computer Graphics System for Machined Part Design and NC Tape Generation, CGS-1, was developed as an educational tool. Its primary objective is to introduce computer graphics to students in the Penn State two year Associate Degree program in Drafting and Design Technology. Both computers and computer graphics are being extensively utilized in the engineering profession and promise to take on even greater importance in the future. Since the students will be highly involved wi ...

13 Gradient domain high dynamic range compression

80%

4 Raanan Fattal , Dani Lischinski , Michael Werman

ACM Transactions on Graphics (TOG) , Proceedings of the 29th annual conference on Computer graphics and interactive techniques July 2002

Volume 21 Issue 3

We present a new method for rendering high dynamic range images on conventional displays. Our method is conceptually simple, computationally efficient, robust, and easy to use. We manipulate the gradient field of the luminance image by attenuating the magnitudes of large gradients. A new, low dynamic range image is then obtained by solving a Poisson equation on the modified gradient field. Our results demonstrate that the method is capable of drastic dynamic range compression, while preserving f ...

14 Toward a psychophysically-based light reflection model for image synthesis

80%

4 Fabio Pellacini , James A. Ferwerda , Donald P. Greenberg



Proceedings of the 27th annual conference on Computer graphics and interactive techniques July 2000

In this paper we introduce a new light reflection model for image synthesis based on experimental studies of surface gloss perception. To develop the model, we've conducted two experiments that explore the relationships between the physical parameters used to describe the reflectance properties of glossy surfaces and the perceptual dimensions of glossy appearance. In the first experiment we use multidimensional scaling techniques to reveal the dimensionality of gloss

perception for simulate ...

- 15 The office of the future: a unified approach to image-based modeling and spatially immersive displays 80%
Ramesh Raskar , Greg Welch , Matt Cutts , Adam Lake , Lev Stesin , Henry Fuchs
Proceedings of the 25th annual conference on Computer graphics and interactive techniques
July 1998
- 16 Three-dimensional medical imaging: algorithms and computer systems 80%
M. R. Stytz , G. Frieder , O. Frieder
ACM Computing Surveys (CSUR) December 1991
Volume 23 Issue 4
- 17 Managed file distribution on the universe network 80%
Christopher S Cooper
ACM SIGCOMM Computer Communication Review , Proceedings of the ACM SIGCOMM symposium on Communications architectures and protocols: tutorials & symposium June 1984
Volume 14 Issue 2
The file distribution system on the Universe Network consists of a distributed set of co-operating agents which provide clients with a reliable bulk file collection, transfer and delivery service. The agent systems incorporate specialised techniques for optimizing use of the satellite channel, as well as making available facilities for broadcast file distribution. The distributed system architecture and protocols are described, with emphasis on the separation of control and data transfer. A ...
- 18 CMU sidewalk navigation system: a blackboard-based outdoor navigation system using sensor fusion with colored-range images 80%
Y. Goto , K. Matsuzaki , I. Kweon , T. Obatake
Proceedings of 1986 fall joint computer conference on Fall joint computer conference
November 1999
- 19 Interactive movie system with multi-person participation and anytime interaction capabilities 80%
Ryohei Nakatsu , Naoko Tosa , Takeshi Ochi
Proceedings of the sixth ACM international conference on Multimedia: Technologies for interactive movies September 1998
- 20 Session P13: view-dependent techniques: Approximate shading for the re-illumination of synthetic images 77%
Randy Scoggins , Raghu Machiraju , Robert J. Moorhead
Proceedings of the conference on Visualization '01 October 2001
This paper presents a novel method to estimate illumination-dependent properties in image synthesis prior to rendering. A preprocessing step is described in which a linear image basis is developed and a lighting-independent formulation defined. A reflection function, similar to hemispherical reflectance, approximates normal Lambertian shading. Intensity errors resulting from this approximation are reduced by use of a polynomial gamma correction function and scaling to a normalized display range. ...

Results 1 - 20 of 41 [short listing](#)

 [Prev](#)
[Page](#) 1 2 [3](#)  [Next](#)
[Page](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.


[> home](#) [> about](#) [> feedback](#) [> login](#)

Us Patent & Trademark



Try the **new** Portal design
Give us your opinion after using it.

Search Results

Nothing Found

Your search for [(range or distance) <near> image <sentence> display <sentence> (scanning or processing) <sentence> progress<AND>((display AND processing AND progress))] did not return any results.

You may revise it and try your search again below or click advanced search for more options.

(range or distance) <near> image

<sentence> display <sentence>

(scanning or processing) <sentence>

progress<AND>((display AND

processing AND progress))

☐

▲

▼

SEARCH

[\[Advanced Search\]](#) [\[Search Help/Tips\]](#)

[Complete Search Help and Tips](#)

The following characters have specialized meaning:

Special Characters	Description
, () [These characters end a text token.
= > < !	These characters end a text token because they signify the start of a field operator. (! is special: != ends a token.)
` @ \ Q < { [!	These characters signify the start of a delimited token. These are terminated by the end character associated with the start character.

[> home](#) [> about](#) [> feedback](#) [> login](#)

Us Patent & Trademark



Try the **new** Portal design
Give us your opinion after using it.

Search Results

Nothing Found

Your search for [(range or distance) <near> image <sentence> display <sentence> (scanning or processing) <sentence> progress] did not return any results.

You may revise it and try your search again below or click advanced search for more options.

(range or distance) <near> image
<sentence> display <sentence>
(scanning or processing) <sentence>
progress
☐

SEARCH

[\[Advanced Search\]](#)[\[Search Help/Tips\]](#)[Complete Search Help and Tips](#)

The following characters have specialized meaning:

Special Characters	Description
, () [These characters end a text token.
= > < !	These characters end a text token because they signify the start of a field operator. (! is special: != ends a token.)
` @ \ Q < { [!	These characters signify the start of a delimited token. These are terminated by the end character associated with the start character.


[> home](#) [> about](#) [> feedback](#) [> login](#)

Us Patent & Trademark



Try the *new* Portal design
Give us your opinion after using it.

Search Results

Search Results for: [(range or distance) and image and display* and (scanning or processing) and progress]

Found 2,407 of 121,350 searched.

Warning: Maximum result set of 200 exceeded. Consider refining.

Search within Results


[> Advanced Search](#) [> Search Help/Tips](#)

Sort by: [Title](#) [Publication](#) [Publication Date](#) [Score](#)

Results 1 - 20 of 200 [short listing](#)



1 2 3 4 5 6 7 8 9 10



- 1 [The holodeck ray cache: an interactive rendering system for global illumination in nondiffuse environments](#) 97%

Gregory Ward , Maryann Simmons

ACM Transactions on Graphics (TOG) October 1999

Volume 18 Issue 4

We present a new method for rendering complex environments using interactive, progressive, view-independent, parallel ray tracing. A four-dimensional holodeck data structure serves as a rendering target and caching mechanism for interactive walk-throughs of nondiffuse environments with full global illumination. Ray sample density varies locally according to need, and on-demand ray computation is supported in a parallel implementation. The holodeck file is stored on disk and

...

- 2 [Parallel isosurface and volume rendering: Scalable isosurface visualization of massive datasets on COTS clusters](#) 94%

Xiaoyu Zhang , Chandrajit Bajaj , William Blanke

Proceedings of the IEEE 2001 symposium on parallel and large-data visualization and graphics October 2001

Our scalable isosurface visualization solution on a commodity off-the-shelf cluster is an end-to-end parallel and progressive platform, from the initial data access to the final display. In this paper we focus on the back end scalability by introducing a fully parallel and out-of-core isosurface extraction algorithm. It partitions the volume data according to its workload spectrum for load balancing and creates an I/O-optimal external interval tree to minimize the number of I/O operations of loa ...


[> home](#) [> about](#) [> feedback](#) [> login](#)

Us Patent & Trademark



Try the *new* Portal design
Give us your opinion after using it.

Search Results

Search Results for: [display* <near> (range or distance) <near> image<AND>(((range or distance) and image and display* and (scanning or processing) and progress))]

Found 1,456 of 121,350 searched.

Warning: Maximum result set of 200 exceeded. Consider refining.

Search within Results


[> Advanced Search](#) [> Search Help/Tips](#)

Sort by: [Title](#) [Publication](#) [Publication Date](#) [Score](#)

Results 1 - 20 of 200 [short listing](#)



1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)



- 1 [The holodeck ray cache: an interactive rendering system for global illumination in nondiffuse environments](#) 89%

Gregory Ward , Maryann Simmons

ACM Transactions on Graphics (TOG) October 1999

Volume 18 Issue 4

We present a new method for rendering complex environments using interactive, progressive, view-independent, parallel ray tracing. A four-dimensional holodeck data structure serves as a rendering target and caching mechanism for interactive walk-throughs of nondiffuse environments with full global illumination. Ray sample density varies locally according to need, and on-demand ray computation is supported in a parallel implementation. The holodeck file is stored on disk and

...

- 2 [Using the visual differences predictor to improve performance of progressive global illumination computation](#) 88%

Valdimir Volevich , Karol Myszkowski , Andrei Khodulev , Edward A. Kopylov

ACM Transactions on Graphics (TOG) April 2000

Volume 19 Issue 2

A novel view-independent technique for progressive global illumination computing that uses prediction of visible differences to improve both efficiency and effectiveness of physically-sound lighting solutions has been developed. The technique is a mixture of stochastic (density estimation) and deterministic (adaptive mesh refinement) algorithms used in a sequence and optimized to reduce the differences between the intermediate and final images as perceived by the human observer in the cours ...

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

 Print FormatYour search matched **8** of **974953** documents.A maximum of **8** results are displayed, **25** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one in the text box.

Then click **Search Again**.**Results:**Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****1 Development of the Varioscope AR. A see-through HMD for computer-aided surgery***Birkfellner, W.; Huber, K.; Watzinger, F.; Figl, M.; Wanschitz, F.; Hanel, R.; Rafolt, D.; Ewers, R.; Bergmann, H.;*

Augmented Reality, 2000. (ISAR 2000). Proceedings. IEEE and ACM International Symposium on , 5-6 Oct. 2000

Page(s): 54 -59

[\[Abstract\]](#) [\[PDF Full-Text \(572 KB\)\]](#) **IEEE CNF****2 Contrast mapping and evaluation for electronic X-ray images on CRT display monitor***Suzuki, J.; Furukawa, I.; Ono, S.; Kitamura, M.; Ando, Y.;*

Medical Imaging, IEEE Transactions on , Volume: 16 Issue: 6 , Dec. 1997

Page(s): 772 -784

[\[Abstract\]](#) [\[PDF Full-Text \(252 KB\)\]](#) **IEEE JNL****3 Consideration of the method of image diagnosis with respect to frontal lobe atrophy***Sato, K.; Sugawara, K.; Narita, Y.; Namura, I.;*

Nuclear Science Symposium, 1996. Conference Record., 1996 IEEE , Volume: 2 , 2-9 Nov. 1996

Page(s): 1467 -1471 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(504 KB\)\]](#) **IEEE CNF**

09/748, 138



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
RELEASE 1.5

Welcome
United States Patent and Trademark Office

Help [FAQ](#) [Terms](#) [IEEE](#) [Quick Links](#) » Search Results

Peer Review

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

Your search matched **21** of **974953** documents.

A maximum of **21** results are displayed, **25** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one the text box.

Then click **Search Again**.

(3d or three <near> dimension*) and image and display and real <near> time and (distan

[Search Again](#)

Results:

Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**

1 A vision-based head tracker for fish tank virtual reality-VR without head gear

Rekimoto, J.;

Virtual Reality Annual International Symposium, 1995. Proceedings. , 11-15 March 1995

Page(s): 94 -100

[\[Abstract\]](#) [\[PDF Full-Text \(688 KB\)\]](#) **IEEE CNF**

2 The implementation of a multi-view autostereoscopic display

Moore, J.R.; Travis, A.R.L.; Lang, S.R.; Castle, O.M.;

Stereoscopic Television, IEE Colloquium on , 15 Oct 1992

Page(s): 4/1 -416

[\[Abstract\]](#) [\[PDF Full-Text \(708 KB\)\]](#) **IEE CNF**

3 Development of the Varioscope AR. A see-through HMD for computer-aided surgery

Birkfellner, W.; Huber, K.; Watzinger, F.; Figl, M.; Wanschitz, F.;

Hanel, R.; Rafolt, D.; Ewers, R.; Bergmann, H.;

Augmented Reality, 2000. (ISAR 2000). Proceedings. IEEE and ACM International Symposium on , 5-6 Oct. 2000

Page(s): 54 -59

[\[Abstract\]](#) [\[PDF Full-Text \(572 KB\)\]](#) **IEEE CNF**

4 Extract and display moving object in all direction by using stereo omnidirectional system (SOS)

Shimada, D.; Tanahashi, H.; Kato, K.; Yamamoto, K.;

3-D Digital Imaging and Modeling, 2001. Proceedings. Third International Conference on , 28 May-1 June 2001

Page(s): 42 -47

[\[Abstract\]](#) [\[PDF Full-Text \(708 KB\)\]](#) **IEEE CNF**

5 A graphics library to meet the challenge of changing hardware

Brown, M.; Hawes, D.; Rigby, C.; Rosner, P.;

Computer Graphics Systems, IEE Colloquium on , 15 Jan 1992

Page(s): 9/1 -9/3

[\[Abstract\]](#) [\[PDF Full-Text \(188 KB\)\]](#) **IEE CNF**

6 Interactive 3D graphics for consumer applications

Winser, P.;

Realistic 3-D Image Synthesis, IEE Colloquium on , 16 Jan 1990

Page(s): 1/1 -1/4

[\[Abstract\]](#) [\[PDF Full-Text \(252 KB\)\]](#) **IEE CNF**

7 Projected electronic dissection-classification and shaded projection for 3D visualization of MR images of the brain

Zhang, G.; Liu, X.; Fox, M.D.;

Bioengineering Conference, 1989., Proceedings of the 1989 Fifteenth Annual Northeast , 27-28 March 1989

Page(s): 123 -124

[\[Abstract\]](#) [\[PDF Full-Text \(208 KB\)\]](#) **IEEE CNF**

8 High-speed processing for obtaining three-dimensional distance image and its application

Tanaka, Y.; Tsukaoka, H.; Takeda, H.; Honda, K.; Sarai, T.;

Intelligent Robots and Systems '91. 'Intelligence for Mechanical Systems, Proceedings IROS '91. IEEE/RSJ International Workshop on , 3-5 Nov. 1991

Page(s): 365 -370 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(508 KB\)\]](#) **IEEE CNF**

9 Registration of orthogonal MR images

Cheng-Ning Chang; Axel, L.; Kraitichman, D.L.; Bloomgarden, D.C.;

Computers in Cardiology 1995 , 10-13 Sept. 1995

Page(s): 25 -28

[\[Abstract\]](#) [\[PDF Full-Text \(456 KB\)\]](#) **IEEE CNF**

10 Advances in realtime multibeam survey visualization and quality control

Spitzak, S.E.; Caress, D.W.; Miller, S.P.;

OCEANS '96. MTS/IEEE. 'Prospects for the 21st Century'. Conference Proceedings , Volume: 2 , 23-26 Sept. 1996

Page(s): 975 -979 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(696 KB\)\]](#) **IEEE CNF**

11 Three-dimensional ultrasonic imaging with a fully populated 128x128 array

White, T.; Eriksen, K.; Nicoli, A.;

Engineering in Medicine and Biology society, 1997. Proceedings of the 19th Annual International Conference of the IEEE , Volume: 2 , 30 Oct.-2 Nov. 1997

Page(s): 744 -746 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(232 KB\)\]](#) **IEEE CNF**

12 Recursive ultrasound imaging

Nikolov, S.; Gammelmark, K.; Jensen, J.A.;

Ultrasonics Symposium, 1999. Proceedings. 1999 IEEE , Volume: 2 , 17-20 Oct. 1999

Page(s): 1621 -1625 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(396 KB\)\]](#) **IEEE CNF**

13 The HISCORE camera a real time three dimensional and color camera

Forster, F.; Rummel, P.; Lang, M.; Radig, B.;

Image Processing, 2001. Proceedings. 2001 International Conference on , Volume: 2 , 7-10 Oct. 2001

Page(s): 598 -601 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(400 KB\)\]](#) **IEEE CNF**

14 A video-based stereoscopic imaging and measurement system (SIMS) for undersea applications

Liu, H.T.;

OCEANS, 2001. MTS/IEEE Conference and Exhibition , Volume: 1 ,

5-8 Nov. 2001

Page(s): 275 -286 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(1894 KB\)\]](#) **IEEE CNF**

15 Proceedings HAVE 2002 - IEEE International Workshop on Haptic Virtual Environments and their Applications (Cat. No.02EX622)

Haptic Virtual Environments and Their Applications, IEEE International Workshop 2002 HAVE , 17-18 Nov. 2002

[\[Abstract\]](#) [\[PDF Full-Text \(233 KB\)\]](#) **IEEE CNF**

16 Medial-node models to identify and measure objects in real-time 3-D echocardiography

Stetten, G.D.; Pizer, S.M.;

Medical Imaging, IEEE Transactions on , Volume: 18 Issue: 10 , Oct. 1999

Page(s): 1025 -1034

[\[Abstract\]](#) [\[PDF Full-Text \(536 KB\)\]](#) **IEEE JNL**

17 Visualizing large telecommunication data sets

Koutsofios, E.E.; North, S.C.; Keim, D.A.;

Computer Graphics and Applications, IEEE , Volume: 19 Issue: 3 , May-June 1999

Page(s): 16 -19

[\[Abstract\]](#) [\[PDF Full-Text \(1332 KB\)\]](#) **IEEE JNL**

18 Implementation, calibration and accuracy testing of an image-enhanced endoscopy system

Shahidi, R.; Bax, M.R.; Maurer, C.R., Jr.; Johnson, J.A.; Wilkinson, E.P.; Bai Wang; West, J.B.; Citardi, M.J.; Manwaring, K.H.; Khadem, R.;

Medical Imaging, IEEE Transactions on , Volume: 21 Issue: 12 , Dec. 2002

Page(s): 1524 -1535

[\[Abstract\]](#) [\[PDF Full-Text \(1207 KB\)\]](#) **IEEE JNL**

19 Optimization of DC resistivity data acquisition: real-time experimental design and a new multielectrode system

Stummer, P.; Maurer, H.; Horstmeyer, H.; Green, A.G.;

Geoscience and Remote Sensing, IEEE Transactions on , Volume: 40 Issue: 12 , Dec. 2002

Page(s): 2727 -2735

[\[Abstract\]](#) [\[PDF Full-Text \(659 KB\)\]](#) **IEEE JNL**

20 Fast interpolation technique on epipolar plane image using phase correlation

Heung-Yeop Jang; Jin-Ho Ahn; Je-Ho Lee; Yong-Moo Kwon; Sangkuk Kim; Sang-Hui Park;

Circuits and Systems, 1997. ISCAS '97., Proceedings of 1997 IEEE International Symposium on , Volume: 2 , 9-12 June 1997

Page(s): 1425 -1428 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(456 KB\)\]](#) **IEEE CNF**

21 Texture-based techniques for interpretation of seismic images

Simaan, M.A.;

OCEANS '98 Conference Proceedings , Volume: 1 , 28 Sept.-1 Oct. 1998

Page(s): 429 -432 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(384 KB\)\]](#) **IEEE CNF**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved